



Test Report

No.: T52510300215TY

Date: JUN 17, 2025

Page 1 of 80

Tiny Love Test Report

Applicant:	TINY LOVE LTD
Address:	KORENDIJK 5, NL-5704 RD, HELMOND
Contact Person:	SMADAR CAHLON, YARDEN LABEL, SARIT FRUCHTNIS

Sample Description:	BORN TO PARTY MUSICAL NATURE STROLL ARCH		
Style/Item No.:	140580E001	PO No.:	/
Country of Destination:	/	Country of Origin:	CHINA
Vendor:	FYE		
Manufacturer:	/		
Date Code:	/		
Client Reference Information:	/		
Intended Age Grade on Label:	0M+		

Age Group Applied in Testing:	ALL AGES		
Date In:	MAY 08, 2025		
Date Out:	JUN 17, 2025		
Working Days:	7+		
Further Information Date:	MAY 15, 2025	Sample Resubmission Date:	/



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilua Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test Requested		Conclusion
1.	EN 71-16:2025 – Certain chlorinated phosphorus flame retardants (TCEP, TCPP, TDCP) in toy materials	PASS
2.	For compliance with the European standard on Safety of toys:-	--
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2: 2020 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 + A1:2021 – Migration of certain elements	PASS
	EN 71-3:2019+A2:2024 – Migration of certain elements	PASS
3.	Client’s requirement - Colour Fastness to Rubbing (EN ISO 105-X12:2016)	PASS
4.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Cadmium content	PASS
5.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalates content	PASS
6.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments including (EU) 2020/2096 – AZO Colourants	PASS
7.	Commission Directive 2014/79/EU amending Appendix C of Annex II to European Directive 2009/48/EC – Flame Retardants (TCEP, TCPP and TDCP/TDCPP) content	PASS



Test Requested		Conclusion
8.	Commission Directive (EU) 2017/898 amending Appendix C of Annex II to European Directive 2009/48/EC - Migration BPA	PASS
9.	Commission Directive (EU) 2019/1929 amending Appendix C of Annex II to European Directive 2009/48/EC – Formaldehyde	PASS
	Client's Requirement – Formaldehyde	PASS
10.	European Directive (EU) 2021/903 amending appendix C to Annex II of Directive 2009/48/EC – Aniline Content	PASS
11.	Client's Requirement – Extractable Heavy Metal	PASS
12.	France Act 2012-1442 of 24 Dec 2012 - Bisphenol A (BPA) content	--
	Plastic/Coating – Total Content of Bisphenol A	PASS
13.	Client's Requirement – Polycyclic Aromatic Hydrocarbons (PAHs) Content	PASS
14.	Client's Requirement – Lead Content	PASS
15.	Client's Requirement – Cadmium Content	PASS
16.	Client's Requirement – O-phenylphenol (OPP) content	PASS
17.	Client's Requirement – Phthalates Content	PASS
18.	Client's Requirement – Alkylphenol Ethoxylates (APEOs) – Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs) content	PASS
19.	Client's Requirement – Alkylphenol (AP)– Nonylphenol (NP) and Octylphenol (OP) content	PASS
20.	Test for compliance with the electric toys safety requirement with reference to: EN IEC 62115:2020 Electric toys – safety EN IEC 62115:2020/A11:2020	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Picture Page


Pic.1




Pic.2




Pic.3




Pic.4



Pic.5




Pic.6



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com


Pic.7




Pic.8




Pic.9




Pic.10



Pic.11



Pic.12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines


Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilang Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江源 (坂田) 工业区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t:(86-755) 25328888

www.sgs.com.cn
sgs.china@sgs.com


Pic.13




Pic.14




Pic.15



Pic.16




Pic.17




Pic.18




Pic.19




Pic.20




Pic.21




Pic.22




Pic.23



Pic.24




Pic.25




Pic.26



Pic.27



Pic.28



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com


Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
 中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com



Pic.29



Pic.30



Signed for and on behalf of
 SGS-CSTC Standards Technical
 Services Co., Ltd. Shenzhen Branch Testing Center

Shelly

Aaron

Sunny

Jia Fengjuan, Shelly
 Dept. Manager

Sun Enxu, Aaron
 Dept. Manager

Hong Huimin, Sunny
 Senior Engineer



SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banian) Industrial Plant Area, No.430, Jilang Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
 中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Results:

EN 71-16:2025 – Certain chlorinated phosphorus flame retardants (TCEP, TCPP, TDCP) in toy materials

Method: With reference to EN 71-16:2025
 Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Permissible Limit (mg/kg)
Specimen No.	--	1	2	3		
Alias No.	--	1	1	1		
Tracing No.	--	1	2	3		
Tris(2-chloroethyl) Phosphate (TCEP)	115-96-8	ND	ND	ND	1	5
Tris(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	ND	ND	ND	1	5
Tris[2-chloro-1-(chloromethyl)ethyl] phosphate (TDCP)	13674-87-8	ND	ND	ND	1	5

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
Specimen No.	--	4	5		
Alias No.	--	1	1		
Tracing No.	--	4	5		
Tris(2-chloroethyl) Phosphate (TCEP)	115-96-8	ND	ND	1	5
Tris(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	ND	ND	1	5
Tris[2-chloro-1-(chloromethyl)ethyl] phosphate (TDCP)	13674-87-8	ND	ND	1	5

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
Specimen No.	--	6	7		
Alias No.	--	1	1		
Tracing No.	--	6	7		
Tris(2-chloroethyl) Phosphate (TCEP)	115-96-8	ND	ND	1	5
Tris(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	ND	ND	1	5
Tris[2-chloro-1-(chloromethyl)ethyl] phosphate (TDCP)	13674-87-8	ND	ND	1	5



Specimen Description:

1. White fabric w/ multi-color printing (Animal) (AI) w/ White satinet w/ multi-color printing (Sewn-in label) (R)
2. White polyfiber (Inner) (BA) + White wovn band (Inner) (BB)
3. Cream tricot w/ cream fabric thread (Fastener) (AC) + Light grey woven cord (Fastener) (AE) w/ Dark grey woven cord (Fastener) (AD) w/
4. White woven band (Fastener) (AF) + Snow-white tricot w/ white fabric thread (Lining) (AG) + White tricot w/ multi-color printing w/ black embroidery w/ yellow fabric thread (Animal) (AH)
5. Off-white soft plastic (Clip) (A) w/ Transparent plastic sheet (Speaker) (AR), black dry glue (Speaker) (AS), transparent plastic sheet (Washer) (AT), Transparent dry glue (Inner) (AU)
6. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)
7. Transparent plastic film (Inner) (AJ) w/ White plastic sheet w/ adhesive backing (Mirror) (AK) w/ White plastic (Wire jacket) (AV)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * Exceeds Permissible Limit
- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component



EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

Clause	Description	Result												
4	General Requirements													
4.1	Materials cleanliness	PASS												
4.2	Assembly	PASS												
4.7	Edges	PASS												
4.8	Points and Metallic Wires	PASS												
4.10	Parts moving against each other:													
4.10.2	Driving Mechanisms	PASS												
4.10.4	Springs	PASS												
4.20	Acoustics	PASS (See Table)												
	<p>Table : Table-Top Or Floor Toys:</p> <table border="1"> <thead> <tr> <th>Max Result</th> <th>Limit</th> </tr> </thead> <tbody> <tr> <td>L_{pA}: 67.3 dB</td> <td>90 dB</td> </tr> <tr> <td>L_{pCpeak}: 90.3 dB</td> <td>110 dB</td> </tr> </tbody> </table> <p>Music:</p> <table border="1"> <thead> <tr> <th>Max Result</th> <th>Limit</th> </tr> </thead> <tbody> <tr> <td>L_{pA}: 69.0 dB</td> <td>90 dB</td> </tr> <tr> <td>L_{pCpeak}: 87.2 dB</td> <td>110 dB</td> </tr> </tbody> </table>	Max Result	Limit	L _{pA} : 67.3 dB	90 dB	L _{pCpeak} : 90.3 dB	110 dB	Max Result	Limit	L _{pA} : 69.0 dB	90 dB	L _{pCpeak} : 87.2 dB	110 dB	
Max Result	Limit													
L _{pA} : 67.3 dB	90 dB													
L _{pCpeak} : 90.3 dB	110 dB													
Max Result	Limit													
L _{pA} : 69.0 dB	90 dB													
L _{pCpeak} : 87.2 dB	110 dB													
5	Toys intended for Children under 36 months													
5.1	General Requirements													
5.1a	Small part requirement on toys & removable Components (Test method 8.2)	PASS												
5.1b	Torque test (Test method 8.3)	PASS												
5.1b	Tension test (Test method 8.4)	PASS												
5.1b	Drop test (Test method 8.5)	PASS												
5.1b	Impact test (Test method 8.7)	PASS												
5.1b	Compression test (Test method 8.8)	PASS												
5.1b	Sharp edge (Test method 8.11)	PASS												



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Clause	Description	Result
5.1b	Sharp point (Test method 8.12)	PASS
5.1f	The casing of toys intended for children too young to sit up unaided	PASS
5.2	Soft-filled toys and soft-filled parts of a toy	PASS
5.4	Cords, chains and electrical cables in toys	PASS
5.10	Small balls	PASS
7	Warnings, markings and instructions for use	
	Only English warnings were checked for the clause 7.	
7.1	General	PASS
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects: a) Emphasising the warning b) Contrast, background and colours c) Reflecting surfaces and obscuring material d) Font type e) Font size f) Logical direction of text For more details, see EN 71-1.	
	According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.	

EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Type of gas: Butane gas used in the test burner

Clauses relevant to the item:

Clause	Description	Result
4.1	General requirements	PASS



SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilua Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

LABELING REQUIREMENT (WASHING/CLEANING LABEL, CE MARK, IMPORTER / MANUFACTURER MARK (NAME, ADDRESS), PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC-SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Present	Toy & Packaging
CE mark	Present	Toy & Packaging
Importer's Name & Address	Present	Toy & Packaging
Manufacturer's Name & Address	Present	Toy & Packaging
Product ID	Present	Toy & Packaging

Note:

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019+A1:2021 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES / Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis or LC-ICP-MS / organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit
	1	2	3		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilua Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	4	5	6		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	7	8	9		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	10	11	12		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	13	14	15		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	69	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
Specimen No.	16	17	18	--	--
Mass of trace amount (mg)	49.6	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	19	20	21		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	22	23	24		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	25	26	27		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	28	29	30		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	31	32	33		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	27	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

1. Off-white soft plastic (Clip) (A)
2. White plastic (Clip) (B)
3. Grey plastic (Fastener) (C)
4. White plastic (Fastener) (D)
5. Blue plastic (Fastener) (E)
6. Off-white plastic (Fastener) (F)
7. Transparent plastic (Ball) (G)
8. Transparent orange plastic (Ball) (H)
9. Transparent white plastic sheet (Fastener) (I)
10. Transparent blue plastic (Fastener) (J)
11. Purple plastic (Fan) (K)
12. Bright purple plastic (Base) (L)
13. Dull orange plastic (Fastener) (M)
14. Transpsarent plastic sheet w/ silvery printing (Mirror) (N)
15. Cream plastic (Battery box, battery cover) (O)
16. Black plastic (Switch) (P)
17. Brown plastic (Ring) (Q)
18. White satinet w/ multi-color printing (Sewn-in label) (R)
19. Green colored series tricot (Animal) (S)
20. Yellow colored series tricot w/ yellow fabric thread (Animal) (T)
21. Black colored series tricot (Animal) (U)
22. Red colored series tricot w/ black embroidery (Animal) (V)
23. Purple colored series tricot (Animal) (W)
24. Blue colored series tricot (Animal) (X)
25. Brown colored series tricot (Animal) (Y)
26. Yellow colored series fabric (Animal) (Z)
27. Green colored series fabric (Animal) (AA)
28. Black colored series fabric (Animal) (AB)
29. Cream Branch tricot w/ cream fabric thread (Fastener) (AC)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

- 30. Dark grey woven cord (Fastener) (AD)
- 31. Light grey woven cord (Fastener) (AE)
- 32. White woven band (Fastener) (AF)
- 33. Snow-white tricot w/ white fabric thread (Lining) (AG)

- Note:
- mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by EN 71-3:2019+A1:2021, results shown only for reference

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * = Exceeds Permissible Limit



EN 71-3:2019+A2:2024 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019+A2:2024. Analysis of general elements was performed by ICP-OES / Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis or LC-ICP-MS / organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit
	1	2	3		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	4	5	6		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	7	8	9		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	10	11	12		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	13	14	15		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	69	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	16	17	18		
Specimen No.				--	--
Mass of trace amount (mg)	49.6	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
Specimen No.	19	20	21	--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
Specimen No.	22	23	24	--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	25	26	27		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	28	29	30		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	31	32	33		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	27	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	5	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	5	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.025	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	5	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

1. Off-white soft plastic (Clip) (A)
2. White plastic (Clip) (B)
3. Grey plastic (Fastener) (C)
4. White plastic (Fastener) (D)
5. Blue plastic (Fastener) (E)
6. Off-white plastic (Fastener) (F)
7. Transparent plastic (Ball) (G)
8. Transparent orange plastic (Ball) (H)
9. Transparent white plastic sheet (Fastener) (I)
10. Transparent blue plastic (Fastener) (J)
11. Purple plastic (Fan) (K)
12. Bright purple plastic (Base) (L)
13. Dull orange plastic (Fastener) (M)
14. Transpsarent plastic sheet w/ silvery printing (Mirror) (N)
15. Cream plastic (Battery box, battery cover) (O)
16. Black plastic (Switch) (P)
17. Brown plastic (Ring) (Q)
18. White satinet w/ multi-color printing (Sewn-in label) (R)
19. Green colored series tricot (Animal) (S)
20. Yellow colored series tricot w/ yellow fabric thread (Animal) (T)
21. Black colored series tricot (Animal) (U)
22. Red colored series tricot w/ black embroidery (Animal) (V)
23. Purple colored series tricot (Animal) (W)
24. Blue colored series tricot (Animal) (X)
25. Brown colored series tricot (Animal) (Y)
26. Yellow colored series fabric (Animal) (Z)
27. Green colored series fabric (Animal) (AA)
28. Black colored series fabric (Animal) (AB)
29. Cream Branch tricot w/ cream fabric thread (Fastener) (AC)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

- 30. Dark grey woven cord (Fastener) (AD)
- 31. Light grey woven cord (Fastener) (AE)
- 32. White woven band (Fastener) (AF)
- 33. Snow-white tricot w/ white fabric thread (Lining) (AG)

- Note:
- mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by EN 71-3:2019+A2:2024, results shown only for reference

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * = Exceeds Permissible Limit

Colour Fastness to Rubbing

I .(EN ISO 105-X12:2016;
Size of rubbing finger: 16mm diameter)

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>Client's Requirement</u>
Dry staining	4-5	4-5	4-5	4-5	4-5	Min.4
Wet staining	4-5	4-5	4-5	4-5	4-5	Min.3-4

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Specimen Description:

- 1. Light grey woven cord (Fastener)
- 2. Dark grey woven cord (Fastener)
- 3. White woven fabric w/ black printing
- 4. White woven fabric w/ green and light green printing
- 5. White woven fabric w/ orange and creamy printing



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

II. (EN ISO 105-X12:2016;
Size of rubbing finger: 19x25.4mm)

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>Client's Requirement</u>
Dry staining	4-5	4-5	4-5	4-5	Min.4
Wet staining	4-5	4-5	4-5	4-5	Min.3-4
	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>Client's Requirement</u>
Dry staining	4-5	4-5	4-5	4-5	Min.4
Wet staining	4-5	4-5	4-5	4-5	Min.3-4
	<u>9</u>	<u>10</u>	<u>11</u>		<u>Client's Requirement</u>
Dry staining	4-5	4-5	4-5		Min.4
Wet staining	4-5	4-5	4-5		Min.3-4

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Specimen Description:

1. Creamy tricot (Fastener)
2. White tricot w/ black printing
3. White tricot w/ orange and creamy printing
4. White tricot w/ orange and light creamy printing
5. White tricot w/ red and pale red printing
6. White tricot w/ multi-color printing & black embroidery (Red toy)
7. White tricot w/ multi-color printing (Blue toy)
8. White tricot w/ multi-color printing (Green toy)
9. White tricot w/ multi-color printing (Mirror)
10. White tricot w/ multi-color printing (Foot)
11. White tricot w/ green, black and orange printing



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

European Regulation (EC) No. 1907/2006 (REACH), Annex XVII and its Amendments – Cadmium Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Atomic Absorption Spectrometer (AAS)

For Plastic

Test Item(s)	Cadmium (Cd)		
Permissible Limit (mg/kg)	100		
Specimen Description	Alias No.	Tracing No.	Result(s) (mg/kg)
1. Off-white soft plastic (Clip) (A)	6	1	ND
2. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)	6	2	ND
3. White plastic (Clip) (B) + Off-white plastic (Fastener) (F) + Grey plastic (Fastener) (C)	6	3	ND
4. White plastic (Fastener) (D) + Brown plastic (Ring) (Q)	6	4	ND
5. Blue plastic (Fastener) (E) + Transparent plastic (Ball) (G) + Transparent orange plastic (Ball) (H)	6	5	ND
6. Transparent blue plastic (Fastener) (J) + Purple plastic (Fan) (K) + Bright purple plastic (Base) (L)	6	6	ND
7. Dull orange plastic (Fastener) (M) + Cream plastic (Battery box, battery cover) (O) + Black plastic (Switch) (P)	6	7	ND
8. Transparent plastic film (Inner) (AJ) + White plastic sheet w/ adhesive backing (Mirror) (AK) + White plastic (Wire jacket) (AV)	6	8	ND
9. Translucent cream plastic (Inner) (AL) + Purple plastic (Bead) (AO) + Green plastic (Bead) (AP)	6	9	ND
10. Yellow plastic (Bead) (AM) + Red plastic (Bead) (AN)	6	10	ND
11. Green plastic (Speaker) (AQ) w/ transparent plastic sheet (Speaker) (AR), black dry glue (Speaker) (AS), transparent plastic sheet (Washer) (AT), Transparent dry glue (Inner) (AU)	6	11	ND
12. Green w/ white printed brown PCB (Inner) (AW) w/ brown PCB (Inner) (AX), green printed cream PCB (Speaker) (AY), black material (IC) (AZ)	6	12	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

- Note:
- Permissible and Reference Limit specified by Commission Regulation (EU) No 494/2011 & Commission Regulation (EU) No 2016/217 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under entry 23 of Regulation (EC) No 552/2009 and directive 91/338/EC).
 - mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 5 mg/kg
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible or Reference Limit



European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalate content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Materials can be placed in the mouth for toys & childcare articles

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Alias No.	--	10	10	10		
Tracing No.	--	1	2	3		
Specimen No.	--	1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.005	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.005	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.005	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.005	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.005	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.005	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	ND	--	0.1



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilua Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
Alias No.	--	10	10		
Tracing No.	--	4	5		
Specimen No.	--	4	5		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.005	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.005	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.005	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.005	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.005	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.005	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	--	0.1

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
Alias No.	--	10	10		
Tracing No.	--	6	7		
Specimen No.	--	6	7		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.005	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.005	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.005	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.005	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.005	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.005	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	--	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

1. Off-white soft plastic (Clip) (A)
2. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)
3. White plastic (Clip) (B) + Off-white plastic (Fastener) (F) + Grey plastic (Fastener) (C)
4. White plastic (Fastener) (D) + Brown plastic (Ring) (Q)
5. Blue plastic (Fastener) (E) + Transparent plastic (Ball) (G) + Transparent orange plastic (Ball) (H)
6. Transparent blue plastic (Fastener) (J) + Purple plastic (Fan) (K) + Bright purple plastic (Base) (L)
7. Dull orange plastic (Fastener) (M) + Cream plastic (Battery box, battery cover) (O) + Black plastic (Switch) (P)

Materials can not be placed in the mouth for toys & childcare articles or plasticized material in the other article.

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
Alias No.	--	10	10		
Tracing No.	--	8	9		
Specimen No.	--	1	2		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.005	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.005	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.005	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.005	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	--	0.1



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banian) Industrial Plant Area, No.430, Jilua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
Alias No.	--	10	10		
Tracing No.	--	10	11		
Specimen No.	--	3	4		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.005	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.005	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.005	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.005	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	--	0.1

Specimen Description:

1. Transparent plastic film (Inner) (AJ) + White plastic sheet w/ adhesive backing (Mirror) (AK) + White plastic (Wire jacket) (AV)
2. Translucent cream plastic (Inner) (AL) + Purple plastic (Bead) (AO) + Green plastic (Bead) (AP)
3. Yellow plastic (Bead) (AM) + Red plastic (Bead) (AN)
4. Green plastic (Speaker) (AQ) w/ transparent plastic sheet (Speaker) (AR), black dry glue (Speaker) (AS), transparent plastic sheet (Washer) (AT), Transparent dry glue (Inner) (AU)

- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - % = percentage by weight

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment including (EU) 2020/2096 – AZO Colourants

Method: With reference to EN ISO 14362-1:2017 / EN ISO 14362-3:2017 / § 64 LFGB, BVL B 82.02-2:2013 / § 64 LFGB, BVL B 82.02-15:2013

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Diode Array Detector (HPLC-DAD)

No.	Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
			1			
			Direct reduction	Colorant extraction		
1.	4-Aminodiphenyl	92-67-1	ND	ND	5	30
2.	Benzidine	92-87-5	ND	ND	5	30
3.	4-Chloro- <i>o</i> -toluidine	95-69-2	ND	ND	5	30
4.	2-Naphthylamine	91-59-8	ND	ND	5	30
5.	<i>o</i> -Aminoazotoluene	97-56-3	ND	ND	5	30
6.	5-nitro- <i>o</i> -toluidine	99-55-8	ND	ND	5	30
7.	4-Chloroaniline	106-47-8	ND	ND	5	30
8.	2,4-Diaminoanisole	615-05-4	ND	ND	5	30
9.	4,4'-Diaminodiphenylmethane, MDA	101-77-9	ND	ND	5	30
10.	3,3'-Dichlorobenzidine	91-94-1	ND	ND	5	30
11.	3,3'-Dimethoxybenzidine	119-90-4	ND	ND	5	30
12.	3,3'-Dimethylbenzidine	119-93-7	ND	ND	5	30
13.	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0	ND	ND	5	30
14.	<i>p</i> -Cresidine	120-71-8	ND	ND	5	30
15.	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	ND	5	30
16.	4,4'-Oxydianiline	101-80-4	ND	ND	5	30
17.	4,4'-Thiodianiline	139-65-1	ND	ND	5	30
18.	<i>o</i> -Toluidine	95-53-4	ND	ND	5	30
19.	2,4-Diaminotoluene, TDA	95-80-7	ND	ND	5	30
20.	2,4,5-Trimethylaniline	137-17-7	ND	ND	5	30
21.	4-Aminoazobenzene	60-09-3	ND	ND	5	30
22.	2-methoxyaniline	90-04-0	ND	ND	5	30



SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

No. Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)	
		Direct reduction	Colorant extraction			
1.	4-Aminodiphenyl	92-67-1	--	ND	5	30
2.	Benzidine	92-87-5	--	ND	5	30
3.	4-Chloro- <i>o</i> -toluidine	95-69-2	--	ND	5	30
4.	2-Naphthylamine	91-59-8	--	ND	5	30
5.	<i>o</i> -Aminoazotoluene	97-56-3	--	ND	5	30
6.	5-nitro- <i>o</i> -toluidine	99-55-8	--	ND	5	30
7.	4-Chloroaniline	106-47-8	--	ND	5	30
8.	2,4-Diaminoanisole	615-05-4	--	ND	5	30
9.	4,4'-Diaminodiphenylmethane, MDA	101-77-9	--	ND	5	30
10.	3,3'-Dichlorobenzidine	91-94-1	--	ND	5	30
11.	3,3'-Dimethoxybenzidine	119-90-4	--	ND	5	30
12.	3,3'-Dimethylbenzidine	119-93-7	--	ND	5	30
13.	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0	--	ND	5	30
14.	<i>p</i> -Cresidine	120-71-8	--	ND	5	30
15.	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	--	ND	5	30
16.	4,4'-Oxydianiline	101-80-4	--	ND	5	30
17.	4,4'-Thiodianiline	139-65-1	--	ND	5	30
18.	<i>o</i> -Toluidine	95-53-4	--	ND	5	30
19.	2,4-Diaminotoluene, TDA	95-80-7	--	ND	5	30
20.	2,4,5-Trimethylaniline	137-17-7	--	ND	5	30
21.	4-Aminoazobenzene	60-09-3	--	ND	5	30
22.	2-methoxyaniline	90-04-0	--	ND	5	30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)	
		3				
		Direct reduction	Colorant extraction			
1.	4-Aminodiphenyl	92-67-1	ND	ND	5	30
2.	Benzidine	92-87-5	ND	ND	5	30
3.	4-Chloro- <i>o</i> -toluidine	95-69-2	ND	ND	5	30
4.	2-Naphthylamine	91-59-8	ND	ND	5	30
5.	<i>o</i> -Aminoazotoluene	97-56-3	ND	ND	5	30
6.	5-nitro- <i>o</i> -toluidine	99-55-8	ND	ND	5	30
7.	4-Chloroaniline	106-47-8	ND	ND	5	30
8.	2,4-Diaminoanisole	615-05-4	ND	ND	5	30
9.	4,4'-Diaminodiphenylmethane, MDA	101-77-9	ND	ND	5	30
10.	3,3'-Dichlorobenzidine	91-94-1	ND	ND	5	30
11.	3,3'-Dimethoxybenzidine	119-90-4	ND	ND	5	30
12.	3,3'-Dimethylbenzidine	119-93-7	ND	ND	5	30
13.	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0	ND	ND	5	30
14.	<i>p</i> -Cresidine	120-71-8	ND	ND	5	30
15.	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	ND	5	30
16.	4,4'-Oxydianiline	101-80-4	ND	ND	5	30
17.	4,4'-Thiodianiline	139-65-1	ND	ND	5	30
18.	<i>o</i> -Toluidine	95-53-4	ND	ND	5	30
19.	2,4-Diaminotoluene, TDA	95-80-7	ND	ND	5	30
20.	2,4,5-Trimethylaniline	137-17-7	ND	ND	5	30
21.	4-Aminoazobenzene	60-09-3	ND	ND	5	30
22.	2-methoxyaniline	90-04-0	ND	ND	5	30



SGS-CSTC Shenzhen Branch Inspection & Testing Services
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilang Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

No. Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)	
		4				
		Direct reduction	Colorant extraction			
1.	4-Aminodiphenyl	92-67-1	--	ND	5	30
2.	Benzidine	92-87-5	--	ND	5	30
3.	4-Chloro- <i>o</i> -toluidine	95-69-2	--	ND	5	30
4.	2-Naphthylamine	91-59-8	--	ND	5	30
5.	<i>o</i> -Aminoazotoluene	97-56-3	--	ND	5	30
6.	5-nitro- <i>o</i> -toluidine	99-55-8	--	ND	5	30
7.	4-Chloroaniline	106-47-8	--	ND	5	30
8.	2,4-Diaminoanisole	615-05-4	--	ND	5	30
9.	4,4'-Diaminodiphenylmethane, MDA	101-77-9	--	ND	5	30
10.	3,3'-Dichlorobenzidine	91-94-1	--	ND	5	30
11.	3,3'-Dimethoxybenzidine	119-90-4	--	ND	5	30
12.	3,3'-Dimethylbenzidine	119-93-7	--	ND	5	30
13.	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0	--	ND	5	30
14.	<i>p</i> -Cresidine	120-71-8	--	ND	5	30
15.	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	--	ND	5	30
16.	4,4'-Oxydianiline	101-80-4	--	ND	5	30
17.	4,4'-Thiodianiline	139-65-1	--	ND	5	30
18.	<i>o</i> -Toluidine	95-53-4	--	ND	5	30
19.	2,4-Diaminotoluene, TDA	95-80-7	--	ND	5	30
20.	2,4,5-Trimethylaniline	137-17-7	--	ND	5	30
21.	4-Aminoazobenzene	60-09-3	--	ND	5	30
22.	2-methoxyaniline	90-04-0	--	ND	5	30

Specimen Description:

- Green colored series tricot (Animal) (S) w/ Black colored series tricot (Animal) (U) w/ White satinet w/ multi-color printing (Sewn-in label) (R) w/ Blue colored series tricot (Animal) (X) + Brown colored series tricot (Animal) (Y)
- Yellow colored series tricot w/ yellow fabric thread (Animal) (T) + Red colored series tricot w/ black embroidery (Animal) (V) + Purple colored series tricot (Animal) (W)
- Yellow colored series fabric (Animal) (Z) + Green colored series fabric (Animal) (AA)
- Black colored series fabric (Animal) (AB) w/ Cream tricot w/ cream fabric thread (Fastener) (AC) w/ Dark grey woven cord (Fastener) (AD) w/ Light grey woven cord (Fastener) (AE)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - Direct reduction refers to the extraction and reduction according to EN ISO 14362-1:2017 clause 10.2 and relevant clauses.

Colorant extraction refers to the colourant extraction and subsequent reduction according to EN ISO 14362-1:2017 clause 10.1 and relevant clauses.

- EN ISO 14362-1:2017 will enable further cleavage of 4-AAB (CAS No. 60-09-3) to non-forbidden amines: aniline and p-phenylenediamine. If aniline and/or p-phenylenediamine is not found, 4-AAB is considered as "ND" (i.e. <5.0 mg/kg). Otherwise, EN ISO 14362-3:2017 will be employed to verify the presence of 4-AAB.
- 4-Aminodiphenyl (CAS No. 92-67-1), 2-Naphthylamine (CAS No. 91-59-8) and 2,4-Diaminoanisole (CAS No. 615-05-4) can be indirectly generated from some colorants which do not contain these amines azo bound. The use of banned azo colorants cannot be reliably ascertained without additional information.
- In case PU is used, e.g. PU Foams or coatings, it cannot be ruled out that MDA (CAS No. 101-77-9) and TDA (CAS No. 95-80-7) can be released from PU material, not from banned azo colorant. Similarly, for pigment prints, MDA will be released from a chemical fixing agent.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- -- = Test method is not applicable due to identified specimen nature with respect to method(s).
- @ = The amine was detected according to EN ISO 14362-1:2017 with the reducing agent. A similar result was obtained from the procedure carried out without the reducing agent. According to EN ISO 14362-1:2017 Annex C.2.1.2.2, the amine originated from a source other than azo colorants.
- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^ = The amine was detected according to EN ISO 14362-1:2017 with the reducing agent. Confirmation procedure was carried out without reducing agent, according to EN ISO 14362-1:2017 Annex C.2.1.2.2, the amine originated from azo colorants.
- Δ = Pass/Fail cannot be given due to the presence of substance(s) is between 5–30mg/kg. Detected substance(s) may come from one or more component(s) in composite testing. Individual testing of mixed components is highly recommended.
- * Exceeds Permissible Limit



Commission Directive 2014/79/EU amending Appendix C of Annex II to European Directive 2009/48/EC – Flame Retardants (TCEP, TCPP and TDCP/TDCPP) content

Method: With reference to EN 71-16:2025
 Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
Specimen No.	--	1	2		
Alias No.	--	23	23		
Tracing No.	--	1	2		
Tris(2-chloroethyl) Phosphate (TCEP)	115-96-8	ND	ND	1	5
Tris(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	ND	ND	1	5
Tris[2-chloro-1-(chloromethyl)ethyl] phosphate (TDCP) TRIS [(1,3-dichloro-2-propyl) phosphate] (TDCPP)	13674-87-8	ND	ND	1	5

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
Specimen No.	--	3	4		
Alias No.	--	23	23		
Tracing No.	--	3	4		
Tris(2-chloroethyl) Phosphate (TCEP)	115-96-8	ND	ND	1	5
Tris(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	ND	ND	1	5
Tris[2-chloro-1-(chloromethyl)ethyl] phosphate (TDCP) TRIS [(1,3-dichloro-2-propyl) phosphate] (TDCPP)	13674-87-8	ND	ND	1	5

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
Specimen No.	--	5	6		
Alias No.	--	23	23		
Tracing No.	--	5	6		
Tris(2-chloroethyl) Phosphate (TCEP)	115-96-8	ND	ND	1	5
Tris(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	ND	ND	1	5
Tris[2-chloro-1-(chloromethyl)ethyl] phosphate (TDCP) TRIS [(1,3-dichloro-2-propyl) phosphate] (TDCPP)	13674-87-8	ND	ND	1	5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)	MDL (mg/kg)	Permissible Limit (mg/kg)
Specimen No.	--	7		
Alias No.	--	23		
Tracing No.	--	7		
Tris(2-chloroethyl) Phosphate (TCEP)	115-96-8	ND	1	5
Tris(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	ND	1	5
Tris[2-chloro-1-(chloromethyl)ethyl] phosphate (TDCP) TRIS [(1,3-dichloro-2-propyl) phosphate] (TDCPP)	13674-87-8	ND	1	5

Specimen Description:

1. White fabric w/ multi-color printing (Animal) (AI) w/ White satinet w/ multi-color printing (Sewn-in label) (R)
2. White polyfiber (Inner) (BA) + White wovn band (Inner) (BB)
3. Cream tricot w/ cream fabric thread (Fastener) (AC) + Light grey woven cord (Fastener) (AE) w/ Dark grey woven cord (Fastener) (AD) w/
4. White woven band (Fastener) (AF) + Snow-white tricot w/ white fabric thread (Lining) (AG) + White tricot w/ multi-color printing w/ black embroidery w/ yellow fabric thread (Animal) (AH)
5. Off-white soft plastic (Clip) (A) w/ Transparent plastic sheet (Speaker) (AR), black dry glue (Speaker) (AS), transparent plastic sheet (Washer) (AT), Transparent dry glue (Inner) (AU)
6. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)
7. Transparent plastic film (Inner) (AJ) w/ White plastic sheet w/ adhesive backing (Mirror) (AK) w/ White plastic (Wire jacket) (AV)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * Exceeds Permissible Limit
- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component



Commission Directive (EU) 2017/898 amending Appendix C of Annex II to European Directive 2009/48/EC – Migration BPA

Method: With reference to EN71-10: 2005 and EN71-11: 2005

Analysis was performed by Triple Quadrupole Liquid Chromatograph Mass Spectrometer (LC-MS/MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result(s) (mg/L)			MDL (mg/L)	Permissible limit (mg/L)
Specimen No.	--	1	2	3		
Alias No.	--	13	13	13		
Tracing No.	--	1	2	3		
Bisphenol A	80-05-7	ND	ND	ND	0.010	0.04

Test Item(s)	CAS No.	Result(s) (mg/L)			MDL (mg/L)	Permissible limit (mg/L)
Specimen No.	--	4	5	6		
Alias No.	--	13	13	13		
Tracing No.	--	4	5	6		
Bisphenol A	80-05-7	ND	ND	ND	0.010	0.04

Test Item(s)	CAS No.	Result(s) (mg/L)			MDL (mg/L)	Permissible limit (mg/L)
Specimen No.	--	7	8	9		
Alias No.	--	13	13	13		
Tracing No.	--	7	8	9		
Bisphenol A	80-05-7	ND	ND	ND	0.010	0.04

Test Item(s)	CAS No.	Result(s) (mg/L)		MDL (mg/L)	Permissible limit (mg/L)
Specimen No.	--	10	11		
Alias No.	--	13	13		
Tracing No.	--	10	11		
Bisphenol A	80-05-7	ND	ND	0.010	0.04



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

1. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)
2. White plastic (Clip) (B) + Off-white plastic (Fastener) (F) + Grey plastic (Fastener) (C)
3. White plastic (Fastener) (D) + Brown plastic (Ring) (Q)
4. Blue plastic (Fastener) (E) + Transparent plastic (Ball) (G) + Transparent orange plastic (Ball) (H)
5. Transparent blue plastic (Fastener) (J) + Purple plastic (Fan) (K) + Bright purple plastic (Base) (L)
6. Dull orange plastic (Fastener) (M) + Cream plastic (Battery box, battery cover) (O) + Black plastic (Switch) (P)
7. Transparent plastic film (Inner) (AJ) + White plastic sheet w/ adhesive backing (Mirror) (AK) + White plastic (Wire jacket) (AV)
8. Translucent cream plastic (Inner) (AL) + Purple plastic (Bead) (AO) + Green plastic (Bead) (AP)
9. Yellow plastic (Bead) (AM) + Red plastic (Bead) (AN)
10. Green plastic (Speaker) (AQ) + Transparent plastic sheet (Speaker) (AR) + Black dry glue (Speaker) (AS)
11. Transparent dry glue (Inner) (AU) + Transparent plastic sheet (Washer) (AT)

- Note:
- mg/L = milligram per liter
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * Exceeds Permissible Limit
- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen surface area



Commission Directive (EU) 2019/1929 amending Appendix C of Annex II to European Directive 2009/48/EC – Formaldehyde

For Polymeric

Method: With reference to EN71-10: 2005 and EN71-11: 2005
 Analysis was performed by Ultraviolet Visible Spectrometer (UV-Vis)

Specimen Description	Alias No.	Tracing No.	MDL (mg/L)	Result(s) (mg/L)	Limit (mg/L)
1. Off-white soft plastic (Clip) (A)	14	1	0.8	ND	1.5
2. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)	14	2	0.8	ND	1.5
3. White plastic (Clip) (B) + Off-white plastic (Fastener) (F) + Grey plastic (Fastener) (C)	14	3	0.8	ND	1.5
4. White plastic (Fastener) (D) + Brown plastic (Ring) (Q)	14	4	0.8	ND	1.5
5. Blue plastic (Fastener) (E) + Transparent plastic (Ball) (G) + Transparent orange plastic (Ball) (H)	14	5	0.8	ND	1.5
6. Transparent blue plastic (Fastener) (J) + Purple plastic (Fan) (K) + Bright purple plastic (Base) (L)	14	6	0.8	ND	1.5
7. Dull orange plastic (Fastener) (M) + Cream plastic (Battery box, battery cover) (O) + Black plastic (Switch) (P)	14	7	0.8	ND	1.5
8. Transparent plastic film (Inner) (AJ) + White plastic sheet w/ adhesive backing (Mirror) (AK) + White plastic (Wire jacket) (AV)	14	8	0.8	ND	1.5
9. Translucent cream plastic (Inner) (AL) + Purple plastic (Bead) (AO) + Green plastic (Bead) (AP)	14	9	0.8	ND	1.5
10. Yellow plastic (Bead) (AM) + Red plastic (Bead) (AN)	14	10	0.8	ND	1.5
11. Green plastic (Speaker) (AQ) + Transparent plastic sheet (Speaker) (AR) + Black dry glue (Speaker) (AS)	14	11	0.8	ND	1.5
12. Transparent dry glue (Inner) (AU) + Transparent plastic sheet (Washer) (AT)	14	12	0.8	ND	1.5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

- Note:
- mg/L = milligram per liter
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen surface area
- Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Limit

For Textiles

Method: With reference to ISO 14184-1: 2011, Textiles- Determination of formaldehyde - Part 1: Free and Hydrolyzed formaldehyde (water extraction method)

Analysis was performed by Ultraviolet Visible Spectrometer (UV-Vis)

Specimen Description	Alias No.	Tracing No.	MDL (mg/kg)	Result(s) (mg/kg)	Limit (mg/kg)	Client's Limit (mg/kg)
1. White satinet w/ multi-color printing (Sewn-in label) (R)	16	1	10	ND	30	16
2. Cream tricot w/ cream fabric thread (Fastener) (AC) w/ Light grey woven cord (Fastener) (AE) w/ Dark grey woven cord (Fastener) (AD) w/	16	2	10	ND	30	16
3. White polyfiber (Inner) (BA)	16	3	10	ND	30	16
4. White wovn band (Inner) (BB) w/ White woven band (Fastener) (AF)	16	4	10	ND	30	16
5. Snow-white tricot w/ white fabric thread (Lining) (AG)	16	5	10	ND	30	16
6. White tricot w/ multi-color printing w/ black embroidery w/ yellow fabric thread (Animal) (AH)	16	6	10	ND	30	16
7. White fabric w/ multi-color printing (Animal) (AI)	16	7	10	ND	30	16



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Limit

European Directive (EU) 2021/903 amending appendix C to Annex II of Directive 2009/48/EC – Aniline Content

Method: With reference to EN ISO 14362-1:2017 / EN ISO 14362-3:2017

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Diode Array Detector (HPLC-DAD)

Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
		1			
		Direct reduction	Colorant extraction		
Aniline	62-53-3	ND	ND	5	30

Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
		2			
		Direct reduction	Colorant extraction		
Aniline	62-53-3	--	ND	5	30

Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
		3			
		Direct reduction	Colorant extraction		
Aniline	62-53-3	ND	ND	5	30



SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilang Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
		4			
		Direct reduction	Colorant extraction		
Aniline	62-53-3	--	ND	5	30

Specimen Description:

1. Green colored series tricot (Animal) (S) w/ Black colored series tricot (Animal) (U) w/ White satinet w/ multi-color printing (Sewn-in label) (R) w/ Blue colored series tricot (Animal) (X) + Brown colored series tricot (Animal) (Y)
2. Yellow colored series tricot w/ yellow fabric thread (Animal) (T) + Red colored series tricot w/ black embroidery (Animal) (V) + Purple colored series tricot (Animal) (W)
3. Yellow colored series fabric (Animal) (Z) + Green colored series fabric (Animal) (AA)
4. Black colored series fabric (Animal) (AB) w/ Cream tricot w/ cream fabric thread (Fastener) (AC) w/ Dark grey woven cord (Fastener) (AD) w/ Light grey woven cord (Fastener) (AE)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - Direct reduction refers to the extraction and reduction according to EN ISO 14362-1:2017 clause 10.2 and relevant clauses.
 - Colorant extraction refers to the colourant extraction and subsequent reduction according to EN ISO 14362-1:2017 clause 10.1 and relevant clauses.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- -- = Test method is not applicable due to identified specimen nature with respect to method(s).
- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- Δ = Pass/Fail cannot be given due to the presence of substance(s) is between 5–30mg/kg. Detected substance(s) may come from one or more component(s) in composite testing. Individual testing of mixed components is highly recommended.
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilang Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
 中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Extractable Heavy Metal

Method: With reference to EN 16711-2:2015

Analysis was performed by Inductively Coupled Plasma – Mass Spectrometry (ICP-MS) and Ultraviolet Visible Spectrometer (UV-Vis).

Test Item(s)	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
	1	2	3		
Specimen No.	1	2	3		
Alias No.	21	21	21		
Tracing No.	1	2	3		
Cadmium (Cd)	ND	ND	ND	0.1	1
Lead (Pb)	ND	ND	ND	0.2	1
Chromium VI (CrVI)	ND	ND	ND	0.3	3

Test Item(s)	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
	4	5	6		
Specimen No.	4	5	6		
Alias No.	21	21	21		
Tracing No.	4	5	6		
Cadmium (Cd)	ND	ND	ND	0.1	1
Lead (Pb)	ND	ND	ND	0.2	1
Chromium VI (CrVI)	ND	ND	ND	0.3	3

Specimen Description:

1. Green colored series tricot (Animal) (S) w/ Black colored series tricot (Animal) (U) w/ White satin w/ multi-color printing (Sewn-in label) (R) + Red colored series tricot w/ black embroidery (Animal) (V)
2. Blue colored series tricot (Animal) (X) w/ Purple colored series tricot (Animal) (W)
3. Yellow colored series tricot w/ yellow fabric thread (Animal) (T) w/ Brown colored series tricot (Animal) (Y)
4. Green colored series fabric (Animal) (AA) + Black colored series fabric (Animal) (AB)
5. Yellow colored series fabric (Animal) (Z) w/ Cream tricot w/ cream fabric thread (Fastener) (AC) w/ Dark grey woven cord (Fastener) (AD) w/ Light grey woven cord (Fastener) (AE)
6. Snow-white tricot w/ white fabric thread (Lining) (AG) w/ White woven band (Fastener) (AF)



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banian) Industrial Plant Area, No.430, Jilang Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

- Note
- mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- * Exceeds Permissible Limit

France Act 2012-1442 of 24 Dec 2012 - Bisphenol A (BPA) Content

Method: Solvent extraction.

Analysis was performed by Triple Quadrupole Liquid Chromatograph Mass Spectrometer (LC-MS/MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

For plastic / coating

Test Item(s)	Result (s) (mg/kg)	MDL (mg/kg)	Recommended Limit (mg/kg)
Specimen No.	1		
Alias No.	15		
Tracing No.	1		
Bisphenol A (BPA)	ND	0.1	0.1

Specimen Description:

1. Off-white soft plastic (Clip) (A)

- Note:
- mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)



Polycyclic Aromatic Hydrocarbon (PAHs) Content

Method: With reference to AfPS GS 2019:01 PAK method.
 Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Category 1: Materials intended to be placed in the mouth or materials coming into long-term contact with skin (More than 30s) during the intended use – In toys according to Directive 2009/48/EC or for the use by children up to 3 years of age

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
		1	2	3		
Specimen No.	--	1	2	3		
Alias No.	--	5	5	5		
Tracing No.	--	1	2	3		
1. Naphthalene	91-20-3	ND	ND	ND	0.1	1
2. Acenaphthylene	208-96-8	ND	ND	ND	0.1	--
3. Acenaphthene	83-32-9	ND	ND	ND	0.1	--
4. Fluorene	86-73-7	ND	ND	ND	0.1	--
5. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
6. Anthracene	120-12-7	ND	ND	ND	0.1	--
7. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
8. Pyrene	129-00-0	ND	ND	ND	0.1	--
9. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
10. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
11. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
12. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
13. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
14. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
15. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
16. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
17. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
18. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 7 PAHs [^]	--	ND	ND	ND	--	1
Sum of 18 PAHs	--	ND	ND	ND	--	1



SGS-CSTC Shenzhen Technical Services Co., Ltd.
 Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilua Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
 中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
		4	5	6		
Specimen No.	--	4	5	6		
Alias No.	--	5	5	5		
Tracing No.	--	4	5	6		
1. Naphthalene	91-20-3	ND	ND	ND	0.1	1
2. Acenaphthylene	208-96-8	ND	ND	ND	0.1	--
3. Acenaphthene	83-32-9	ND	ND	ND	0.1	--
4. Fluorene	86-73-7	ND	ND	ND	0.1	--
5. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
6. Anthracene	120-12-7	ND	ND	ND	0.1	--
7. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
8. Pyrene	129-00-0	ND	ND	ND	0.1	--
9. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
10. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
11. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
12. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
13. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
14. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
15. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
16. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
17. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
18. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 7 PAHs [^]	--	ND	ND	ND	--	1
Sum of 18 PAHs	--	ND	ND	ND	--	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
		7	8	9		
Specimen No.	--	7	8	9		
Alias No.	--	5	5	5		
Tracing No.	--	7	8	9		
1. Naphthalene	91-20-3	ND	ND	ND	0.1	1
2. Acenaphthylene	208-96-8	ND	ND	ND	0.1	--
3. Acenaphthene	83-32-9	ND	ND	ND	0.1	--
4. Fluorene	86-73-7	ND	ND	ND	0.1	--
5. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
6. Anthracene	120-12-7	ND	ND	ND	0.1	--
7. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
8. Pyrene	129-00-0	ND	ND	ND	0.1	--
9. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
10. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
11. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
12. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
13. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
14. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
15. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
16. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
17. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
18. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 7 PAHs [^]	--	ND	ND	ND	--	1
Sum of 18 PAHs	--	ND	ND	ND	--	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	--	10	11		
Alias No.	--	5	5		
Tracing No.	--	10	11		
1. Naphthalene	91-20-3	ND	ND	0.1	1
2. Acenaphthylene	208-96-8	ND	ND	0.1	--
3. Acenaphthene	83-32-9	ND	ND	0.1	--
4. Fluorene	86-73-7	ND	ND	0.1	--
5. Phenanthrene	85-01-8	ND	ND	0.1	--
6. Anthracene	120-12-7	ND	ND	0.1	--
7. Fluoranthene	206-44-0	ND	ND	0.1	--
8. Pyrene	129-00-0	ND	ND	0.1	--
9. Benzo[a]anthracene	56-55-3	ND	ND	0.1	0.2
10. Chrysene	218-01-9	ND	ND	0.1	0.2
11. Benzo[b]fluoranthene	205-99-2	ND	ND	0.1	0.2
12. Benzo[k]fluoranthene	207-08-9	ND	ND	0.1	0.2
13. Benzo[j]fluoranthene	205-82-3	ND	ND	0.1	0.2
14. Benzo[a]pyrene	50-32-8	ND	ND	0.1	0.2
15. Benzo[e]pyrene	192-97-2	ND	ND	0.1	0.2
16. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	0.1	0.2
17. Dibenzo[a,h]anthracene	53-70-3	ND	ND	0.1	0.2
18. Benzo[g,h,i]perylene	191-24-2	ND	ND	0.1	0.2
Sum of 7 PAHs [^]	--	ND	ND	--	1
Sum of 18 PAHs	--	ND	ND	--	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	--	12	13		
Alias No.	--	5	5		
Tracing No.	--	12	13		
1. Naphthalene	91-20-3	ND	ND	0.1	1
2. Acenaphthylene	208-96-8	ND	ND	0.1	--
3. Acenaphthene	83-32-9	ND	ND	0.1	--
4. Fluorene	86-73-7	ND	0.2	0.1	--
5. Phenanthrene	85-01-8	ND	0.2	0.1	--
6. Anthracene	120-12-7	ND	ND	0.1	--
7. Fluoranthene	206-44-0	ND	ND	0.1	--
8. Pyrene	129-00-0	ND	ND	0.1	--
9. Benzo[a]anthracene	56-55-3	ND	ND	0.1	0.2
10. Chrysene	218-01-9	ND	ND	0.1	0.2
11. Benzo[b]fluoranthene	205-99-2	ND	ND	0.1	0.2
12. Benzo[k]fluoranthene	207-08-9	ND	ND	0.1	0.2
13. Benzo[j]fluoranthene	205-82-3	ND	ND	0.1	0.2
14. Benzo[a]pyrene	50-32-8	ND	ND	0.1	0.2
15. Benzo[e]pyrene	192-97-2	ND	ND	0.1	0.2
16. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	0.1	0.2
17. Dibenzo[a,h]anthracene	53-70-3	ND	ND	0.1	0.2
18. Benzo[g,h,i]perylene	191-24-2	ND	ND	0.1	0.2
Sum of 7 PAHs [^]	--	ND	0.4	--	1
Sum of 18 PAHs	--	ND	0.4	--	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

1. Off-white soft plastic (Clip) (A) + Off-white plastic (Fastener) (F)
2. White plastic (Clip) (B) + Grey plastic (Fastener) (C)
3. White plastic (Fastener) (D) + Blue plastic (Fastener) (E)
4. Transparent plastic (Ball) (G) + Transparent orange plastic (Ball) (H)
5. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)
6. Transparent blue plastic (Fastener) (J) + Purple plastic (Fan) (K)
7. Bright purple plastic (Base) (L) + Dull orange plastic (Fastener) (M)
8. Cream plastic (Battery box, battery cover) (O) + Black plastic (Switch) (P)
9. Brown plastic (Ring) (Q)
10. White satin w/ multi-color printing (Sewn-in label) (R) + Cream tricot w/ cream fabric thread (Fastener) (AC)
11. Dark grey woven cord (Fastener) (AD) + Light grey woven cord (Fastener) (AE)
12. White woven band (Fastener) (AF) + Snow-white tricot w/ white fabric thread (Lining) (AG)
13. White tricot w/ multi-color printing w/ black embroidery w/ yellow fabric thread (Animal) (AH) + White fabric w/ multi-color printing (Animal) (AI)

- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - mg/kg = milligram per kilogram
 - ⁷ PAHs including Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Anthracene, Fluoranthene & Pyrene

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Client's limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilang Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Lead Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3

Test Item(s)	Unit	1	2	3	4	MDL	Client's Limit
Alias No.	--	7	7	7	7	--	--
Tracing No.	--	1	2	3	4	--	--
Lead (Pb)	mg/kg	ND	ND	ND	ND	20	40

Test Item(s)	Unit	5	6	7	MDL	Client's Limit
Alias No.	--	7	7	7	--	--
Tracing No.	--	5	6	7	--	--
Lead (Pb)	mg/kg	ND	ND	ND	20	40

Specimen Description:

1. Off-white soft plastic (Clip) (A)
2. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)
3. White plastic (Clip) (B) + Off-white plastic (Fastener) (F) + Grey plastic (Fastener) (C)
4. White plastic (Fastener) (D) + Brown plastic (Ring) (Q)
5. Blue plastic (Fastener) (E) + Transparent plastic (Ball) (G) + Transparent orange plastic (Ball) (H)
6. Transparent blue plastic (Fastener) (J) + Purple plastic (Fan) (K) + Bright purple plastic (Base) (L)
7. Dull orange plastic (Fastener) (M) + Cream plastic (Battery box, battery cover) (O) + Black plastic (Switch) (P)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Client's Limit



Cadmium Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3

Test Item(s)	Unit	1	2	3	4	MDL	Client's Limit
Alias No.	--	8	8	8	8	--	--
Tracing No.	--	1	2	3	4	--	--
Cadmium (Cd)	mg/kg	ND	ND	ND	ND	5	40

Test Item(s)	Unit	5	6	7	MDL	Client's Limit
Alias No.	--	8	8	8	--	--
Tracing No.	--	5	6	7	--	--
Cadmium (Cd)	mg/kg	ND	ND	ND	5	40

Specimen Description:

1. Off-white soft plastic (Clip) (A)
2. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)
3. White plastic (Clip) (B) + Off-white plastic (Fastener) (F) + Grey plastic (Fastener) (C)
4. White plastic (Fastener) (D) + Brown plastic (Ring) (Q)
5. Blue plastic (Fastener) (E) + Transparent plastic (Ball) (G) + Transparent orange plastic (Ball) (H)
6. Transparent blue plastic (Fastener) (J) + Purple plastic (Fan) (K) + Bright purple plastic (Base) (L)
7. Dull orange plastic (Fastener) (M) + Cream plastic (Battery box, battery cover) (O) + Black plastic (Switch) (P)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Client's Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

O-phenylphenol (OPP) content

Method: With reference to ISO17070:2015 / § 64 LFGB, BVL, B 82.02.8-2001 KOH method
 Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / Gas Chromatography Electron Capture Detector (GC-ECD)

Test Item(s)	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
	1	2	3		
Specimen No.					
Alias No.	20	20	20		
Tracing No.	1	2	3		
O-phenylphenol (OPP)	ND	ND	ND	0.5	100

Specimen Description:

1. White fabric w/ multi-color printing (Animal) (AI) w/ White satinet w/ multi-color printing (Sewn-in label) (R) + White polyfiber (Inner) (BA) + White wovn band (Inner) (BB)
2. Cream tricot w/ cream fabric thread (Fastener) (AC) + Light grey woven cord (Fastener) (AE) w/ Dark grey woven cord (Fastener) (AD) w/
3. White woven band (Fastener) (AF) + Snow-white tricot w/ white fabric thread (Lining) (AG) + White tricot w/ multi-color printing w/ black embroidery w/ yellow fabric thread (Animal) (AH)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Client's Limit



Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)	Client's Limit (%)
		1	2	3		
Specimen No.	--	1	2	3		
Alias No.	--	9	9	9		
Tracing No.	--	1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.005	--
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.005	--
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.005	--
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.005	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.005	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.005	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.005	0.1
N-pentyl-isopentylphthalate (nPiPP)	776297-69-9	ND	ND	ND	0.005	0.1
Disopentyl phthalate (DiPP)	605-50-5	ND	ND	ND	0.005	0.1
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	ND	ND	ND	0.005	0.1
Di-n-pentyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.005	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, bis(2-propylheptyl) ester (DPHP)	53306-54-0	ND	ND	ND	0.005	0.1
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	ND	ND	ND	0.005	0.1
Benzenedicarboxylic acid, di-(C7-11)-branched and linear alkyl esters (DHNUP)	68515-42-4	ND	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear ^	84777-06-0	ND	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	ND	ND	ND	0.005	0.1
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5 68648-93-1	ND	ND	ND	0.005	0.1
Total (DBP+BBP+DEHP)		ND	ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	ND	--	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)	Client's Limit (%)
		4	5	6		
Specimen No.	--	4	5	6		
Alias No.	--	9	9	9		
Tracing No.	--	4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.005	--
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.005	--
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.005	--
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.005	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.005	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.005	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.005	0.1
N-pentyl-isopentylphthalate (nPiPP)	776297-69-9	ND	ND	ND	0.005	0.1
Diisopentyl phthalate (DiPP)	605-50-5	ND	ND	ND	0.005	0.1
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	ND	ND	ND	0.005	0.1
Di-n-pentyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.005	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, bis(2-propylheptyl) ester (DPHP)	53306-54-0	ND	ND	ND	0.005	0.1
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	ND	ND	ND	0.005	0.1
Benzenedicarboxylic acid, di-(C7-11)-branched and linear alkyl esters (DHNUP)	68515-42-4	ND	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear ^	84777-06-0	ND	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	ND	ND	ND	0.005	0.1
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5 68648-93-1	ND	ND	ND	0.005	0.1
Total (DBP+BBP+DEHP)		ND	ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	ND	--	0.1



SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banian) Industrial Plant Area, No.430, Jilang Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)	Client's Limit (%)
		7	8	9		
Specimen No.	--	7	8	9	0.005	--
Alias No.	--	9	9	9		
Tracing No.	--	7	8	9		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.005	--
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.005	--
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.005	--
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.005	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.005	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.005	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.005	0.1
N-pentyl-isopentylphthalate (nPiPP)	776297-69-9	ND	ND	ND	0.005	0.1
Diisopentyl phthalate (DiPP)	605-50-5	ND	ND	ND	0.005	0.1
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	ND	ND	ND	0.005	0.1
Di-n-pentyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.005	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, bis(2-propylheptyl) ester (DPHP)	53306-54-0	ND	ND	ND	0.005	0.1
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	ND	ND	ND	0.005	0.1
Benzenedicarboxylic acid, di-(C7-11)-branched and linear alkyl esters (DHNUP)	68515-42-4	ND	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear ^	84777-06-0	ND	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	ND	ND	ND	0.005	0.1
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5 68648-93-1	ND	ND	ND	0.005	0.1
Total (DBP+BBP+DEHP)		ND	ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	ND	--	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)	Client's Limit (%)
Specimen No.	--	10	11		
Alias No.	--	9	9		
Tracing No.	--	10	11		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.005	--
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.005	--
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.005	--
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.005	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.005	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.005	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.005	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.005	0.1
N-pentyl-isopentylphthalate (nPiPP)	776297-69-9	ND	ND	0.005	0.1
Diisopentyl phthalate (DiPP)	605-50-5	ND	ND	0.005	0.1
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	ND	ND	0.005	0.1
Di-n-pentyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	ND	0.005	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, bis(2-propylheptyl) ester (DPHP)	53306-54-0	ND	ND	0.005	0.1
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	ND	ND	0.005	0.1
Benzenedicarboxylic acid, di-(C7-11)-branched and linear alkyl esters (DHNUP)	68515-42-4	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear ^	84777-06-0	ND	ND	0.005	0.1
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	ND	ND	0.005	0.1
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5 68648-93-1	ND	ND	0.005	0.1
Total (DBP+BBP+DEHP)		ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	--	0.1



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jilanghao (Banlian) Industrial Plant Area, No.430, Jilang Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江源(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Specimen Description:

1. Off-white soft plastic (Clip) (A)
2. Transparent white plastic sheet (Fastener) (I) + Transparent plastic sheet w/ silvery printing (Mirror) (N)
3. White plastic (Clip) (B) + Off-white plastic (Fastener) (F) + Grey plastic (Fastener) (C)
4. White plastic (Fastener) (D) + Brown plastic (Ring) (Q)
5. Blue plastic (Fastener) (E) + Transparent plastic (Ball) (G) + Transparent orange plastic (Ball) (H)
6. Transparent blue plastic (Fastener) (J) + Purple plastic (Fan) (K) + Bright purple plastic (Base) (L)
7. Dull orange plastic (Fastener) (M) + Cream plastic (Battery box, battery cover) (O) + Black plastic (Switch) (P)
8. Transparent plastic film (Inner) (AJ) + White plastic sheet w/ adhesive backing (Mirror) (AK) + White plastic (Wire jacket) (AV)
9. Translucent cream plastic (Inner) (AL) + Purple plastic (Bead) (AO) + Green plastic (Bead) (AP)
10. Yellow plastic (Bead) (AM) + Red plastic (Bead) (AN)
11. Green plastic (Speaker) (AQ) w/ transparent plastic sheet (Speaker) (AR), black dry glue (Speaker) (AS), transparent plastic sheet (Washer) (AT), Transparent dry glue (Inner) (AU)

- Note:
- % = percentage by weight
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * = Exceeds Client's Limit



Alkylphenol Ethoxylates (APEOs) – Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs) content

Method: With reference to ISO 18254-1:2016 / ISO 18218-1:2023 / Solvent extraction
 Analysis was performed by High Performance Liquid Chromatography with Diode Array Detector & Mass Spectrometer (HPLC-DAD-MS) / Triple Quadrupole Liquid Chromatograph Mass Spectrometer (LC-MS/MS)

Test Item(s)	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	1	2	3		
Alias No.	17	17	17		
Tracing No.	1	2	3		
Nonylphenol Ethoxylates (NPEOs)	ND	ND	ND	30	100
Octylphenol Ethoxylates (OPEOs)	ND	ND	ND	30	100

Specimen Description:

1. White fabric w/ multi-color printing (Animal) (AI) w/ White satinet w/ multi-color printing (Sewn-in label) (R) + White polyfiber (Inner) (BA) + White wovn band (Inner) (BB)
2. Cream tricot w/ cream fabric thread (Fastener) (AC) + Light grey woven cord (Fastener) (AE) w/ Dark grey woven cord (Fastener) (AD) w/
3. White woven band (Fastener) (AF) + Snow-white tricot w/ white fabric thread (Lining) (AG) + White tricot w/ multi-color printing w/ black embroidery w/ yellow fabric thread (Animal) (AH)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Client's Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Alkylphenol (AP) – Nonylphenol (NP) and Octylphenol (OP) content

Method: Solvent extraction

Analysis was performed by High Performance Liquid Chromatography with Diode Array Detector & Mass Spectrometer (HPLC-DAD-MS) / Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	1	2	3		
Alias No.	19	19	19		
Tracing No.	1	2	3		
Nonylphenol (NP)	ND	ND	ND	5	100
Octylphenol (OP)	ND	ND	ND	5	100

Specimen Description:

1. White fabric w/ multi-color printing (Animal) (AI) w/ White satinet w/ multi-color printing (Sewn-in label) (R) + White polyfiber (Inner) (BA) + White wovn band (Inner) (BB)
2. Cream tricot w/ cream fabric thread (Fastener) (AC) + Light grey woven cord (Fastener) (AE) w/ Dark grey woven cord (Fastener) (AD) w/
3. White woven band (Fastener) (AF) + Snow-white tricot w/ white fabric thread (Lining) (AG) + White tricot w/ multi-color printing w/ black embroidery w/ yellow fabric thread (Animal) (AH)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- * Exceeds Client's Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

EN IEC 62115:2020 ELECTRIC TOYS – SAFETY SPECIFICATION REQUIREMENTS & TEST RESULTS
EN IEC 62115:2020/A11:2020 SPECIFICATION REQUIREMENTS & TEST RESULTS

Clause		Assessment
1	Scope	--
2	Normative references	--
3	Terms and Definitions	--
4	General requirement	--
5	General conditions for the tests	--
6	Criteria for reduced testing	--
7	Marking and instructions (Remark: According to the standard, instruction and other texts required by the standard should be written in the official language(s) of the country in which the product is to be sold. Only English version was reviewed in this report.)	PASS
8	Power input	N/A
9	Heating and abnormal operation	PASS
10	Electric strength	PASS
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	PASS
12	Mechanical strength	PASS
13	Construction	PASS
13.4.4	Electric toys placed above a child	PASS
14	Protection of cords and wires	PASS
15	Components	PASS
16	Screws and connections	PASS
17	Creepage distances and clearances	PASS
18	Resistance to heat and fire	PASS
19	Emission from electric Toys incorporating lasers and or light emitting diodes or UV emitting lamps (Annex E) (Remark: The submitted sample did not incorporate any laser or LED or UV emitting lamps)	N/A
	Toxicological hazards shall comply with EN 71 series of standards (Remark: It is the manufacturer's responsibility to ensure the toy does not emit harmful radiation or present a toxic or similar hazard due to their operation in normal use.)	--
	Modulated accessible emission	N/A
	Toys with an integrated field source shall comply with Annex I (Remark: The submitted sample did not incorporate part which consuming a current more than 3A.)	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

